

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)**Search Results -**

Terms	Documents
l11 and l12	20

09/509449

US Patents Full-Text Database
US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
EPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Database:[Refine Search:](#)[Clear](#)**Search History****Today's Date: 9/25/2001**

<u>DB Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u>
JPAB,EPAB,DWPI	l11 and l12	20	<u>L13</u>
JPAB,EPAB,DWPI	detergent or surfactant	158673	<u>L12</u>
JPAB,EPAB,DWPI	(hepatitis adj c) or hcv	1605	<u>L11</u>
PGPB	l8 and l9	0	<u>L10</u>
PGPB	(hepatitis adj c).ti,ab,clm. or hcv.ti,ab,clm.	6	<u>L9</u>
PGPB	((435/5)!.CCLS.)	25	<u>L8</u>
USPT	l3 and l6	6	<u>L7</u>
USPT	detergent.ti,ab,clm. or surfactant.ti,ab,clm.	33730	<u>L6</u>
USPT	l3 and l4	54	<u>L5</u>
USPT	detergent or surfactant	137849	<u>L4</u>
USPT	l1 and l2	146	<u>L3</u>
USPT	(hepatitis adj c).ti,ab,clm. or hcv.ti,ab,clm.	377	<u>L2</u>
USPT	((435/5)!.CCLS.)	2213	<u>L1</u>

09/509449
9/25/01

Set	Items	Description
---	-----	-----
? s	(hepatitis (w) c) or hcv	
	97260	HEPATITIS
	661995	C
	19849	HEPATITIS (W) C
	10246	HCV
S1	20603	(HEPATITIS (W) C) OR HCV
? s	detergent? or	surfactant?
	26986	DETERGENT?
	14090	SURFACTANT?
S2	40596	DETERGENT? OR SURFACTANT?
? s	s1 and s2	
	20603	S1
	40596	S2
S3	88	S1 AND S2

WEST

Generate Collection

L13: Entry 1 of 20

File: JPAB

Feb 26, 1999

PUB-NO: JP411051940A
DOCUMENT-IDENTIFIER: JP 11051940 A
TITLE: DETECTING/MEASURING METHOD FOR HCV

PUBN-DATE: February 26, 1999

INVENTOR-INFORMATION:

NAME

AOYANAGI, KATSUMI

COUNTRY

OUE, CHIHARU

KIMURA, TATSUJI

IIDA, KUMIKO

YAGI, SHINTARO

ASSIGNEE-INFORMATION:

NAME

TONEN CORP

COUNTRY

N/A

APPL-NO: JP09209515

APPL-DATE: August 4, 1997

INT-CL (IPC): G01N 33/576; C12N 5/10; C12N 15/02; G01N 33/577; C12P 21/08

ABSTRACT:

PROBLEM TO BE SOLVED: To simply detect and quantify HCV with high sensitivity by processing a specimen containing HCV with a processing solution containing chaotropic ions and an acidifier.

SOLUTION: The problem of acid treatment such as the formation of precipitates and the contradictory problem of guanidine treatment are resolved when acid treatment and guanidine treatment are combined. When a surfactant is added to a treating agent generating chaotropic ions such as guanidine and a treating agent constituted of an acidifier, a further favorable result is obtained. Hydrochloric acid, sulfuric acid, acetic acid, trifluoroacetic acid, and trichloroacetic acid are suitable for the acidifier. A specimen containing virus grains such as HCV is processed by these methods, and a virus antigen can be simply detected and quantified with good sensitivity by the so-called immunoassay detecting the antigen with an antibody used as a probe.

COPYRIGHT: (C)1999, JPO